05/04/04

Page 01 of 05

AVON, OH 44011

TELEPHONE: (440) 937-7000

MATERIAL SAFETY DATA SHEET

LOCTITE EXTEND NAVAL JELLY RUST NEUTRALIZER 160Z BOTTLE 01-81139

#### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: LOCTITE EXTEND NAVAL JELLY RUST NEUTRALIZER 160Z BOTTLE

Item No.: 01-81139
Part No.: RT-16

Product Type: Acid-Modified Emulsion

## 2. COMPOSITION, INFORMATION ON INGREDIENTS

Ingredients		CAS No.	%
Water Vinylidene-acrylic Barium sulfate 2-BUTOXYETHANOL*	copolymer	7732-18-5 Proprietary 7727-43-7 111-76-2	45-50 35-40 5-10 1-3
Organic acid		Proprietary	1-3
Propylene glycol SILICA, AMORPHOUS,	FUMED,	57-55-6	1-3
CRYSTALLINE-FREE		112945-52-5	1-3

<sup>\*</sup> This component is listed as a SARA Section 313 Toxic Chemical.

# Ingredients which have exposure limits

Exposure Limits (TWA) Ingredients	ACGIH (TLV)	OSHA (PEL)	OTHER
Barium sulfate	10 mg/m3 dust	10 mg/m3 dust 5 mg/m3 respir.	None
2-BUTOXYETHANOL	25 ppm TWA skin 121mg/m3 skin	50 ppm TWA skin 120mg/m3 skin	None
SILICA, AMORPHOUS, FUMED,			
CRYSTALLINE-FREE	10 mg/m3 TWA	6 mg/m3 TWA	3 mg/m3 TWA resp. dust
Exposure Limits (STEL) Ingredients	ACGIH (TLV)	OSHA (PEL)	

#### 3. HAZARDS IDENTIFICATION

Toxicity: May irritate eyes and skin. High vapor

concentration may irritate respiratory tract.
May cause gastric disturbances if swallowed.
Exposure to butoxyethanol can cause nausea,
dizziness, vomiting, malaise, incoordination,
diarrhea, weakness, eye redness, and swelling of
the conjunctiva. The organic acid can irritate

05/04/04

#### HENKEL CONSUMER ADHESIVES

AVON, OH 44011

TELEPHONE: (440) 937-7000

MATERIAL SAFETY DATA SHEET Page 02 of 05

Product Name: LOCTITE EXTEND NAVAL JELLY RUST NEUTRALIZER 160Z BOTTLE

Item No.: 01-81139

#### 3. HAZARDS IDENTIFICATION

(continued)

the nose and throat upon inhalation. The low concentration of these components minimizes the probability that these symptoms may occur.

Primary Routes of Entry: None known

Signs and Symptoms

of Exposure: Irritation of eyes and skin. Skin may be stained

contact.

Existing Conditions

Aggravated by Exposure: Butoxyethanol: dermatitis

	Literat	Literature Referenced			Carcinogen	
Ingredients	Target	Organ and Other Health Effects	NTP	IARC	OSHA	
[-] - +		NEIO	NIO	NO	NO	
Water		NTO	NO	NO	NO	
Vinylidene-acrylic	copolymer	No Data	NO	NO	NO	
Barium sulfate		LUN	NO	NO	NO	
2-BUTOXYETHANOL		BLO CNS IRR KID	NO	NO	NO	
Organic acid		BLO COR IRR KID LIV	NO	N/A	NO	
Propylene glycol		IRR	NO	NO	NO	
SILICA, AMORPHOUS, I	FUMED,					
CRYSTALLINE-FREE		NUI	NO	N/A	NO	

### Abbreviations

N/A Not Applicable BLO Blood
CNS Central nervous system COR Corrosive
IRR Irritant KID Kidney LUN Lung NUI Nuisance dust LIV Liver

NTO No Target Organs

### 4. FIRST AID MEASURES

Ingestion: Do not induce vomiting. Keep individual calm.

Obtain medical attention.

Inhalation: Remove to fresh air. If symptoms persist seek

medical attention

Skin Contact: Flush with water at once to avoid staining skin;

then wash with soap and water.

Eye Contact: Flush at least 15 minutes with water. Obtain

medical attention.

AVON, OH 44011

TELEPHONE: (440) 937-7000

MATERIAL SAFETY DATA SHEET Page 03 of 05

Product Name: LOCTITE EXTEND NAVAL JELLY RUST NEUTRALIZER 160Z BOTTLE

Item No.: 01-81139

#### 5. FIRE FIGHTING MEASURES

Flash Point: None - aqueous medium Method: Tag Closed Cup

Recommended

Extinguishing Agents: Carbon dioxide, foam, dry chemical

Special Firefighting

Procedures: Not available

Hazardous Products formed

by Fire or Thermal Decomp Irritating organic vapors, oxides of carbon, toxic

gases such as hydrogen chloride

Unusual Fire or

Explosion Hazards: None

Explosive Limits:

(% by volume in air)Lower Butoxyethanol: 1.1% (% by volume in air)Upper Butoxyethanol: 10.6%

#### 6. ACCIDENTAL RELEASE MEASURES

Steps to be taken in case

of spill or leak: Clean up with detergent and water.

# 7. HANDLING AND STORAGE

Safe Storage: Store between 40-105øF

(Contact Loctite Customer Service 1-800-243-4874 for shelf life information)

Handling: Avoid skin contact. Keep away from eyes.

# 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Eyes: Safety glasses or goggles.

Skin: Impermeable rubber or plastic gloves.

Ventilation: Normal ventilation is adequate for occasional use.

For continuous or spray application, provide

local exhaust ventilation.

Respiratory Not available

See Section 2 for Exposure Limits.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Milky liquid

Odor: Mild

Boiling Point: Approximately 212øF

pH: 1.95

Solubility in Water: Water-based

Specific Gravity 1.202

Volatile Organic Compound

(EPA Method 24) 110 grams of VOC per liter of coating

Vapor Pressure: Approximately 24 mm

HENKEL CONSUMER ADHESIVES 05/04/04

AVON, OH 44011

TELEPHONE: (440) 937-7000

MATERIAL SAFETY DATA SHEET Page 04 of 05

Product Name: LOCTITE EXTEND NAVAL JELLY RUST NEUTRALIZER 160Z BOTTLE

Item No.: 01-81139

9. PHYSICAL AND CHEMICAL PROPERTIES (continued)

1.2 Vapor Density:

Evaporation Rate

(Ether = 1)Not available

10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur

Strong bases will coagulate resin; strong Incompatibility:

oxidizers.

Conditions to Avoid: Not available

Hazardous Decomposition

Products (non-thermal): None

11. TOXICOLOGICAL INFORMATION

Estimated oral LD50 more than 5000 mg/kg. Estiamted dermal LD50 more than 2000 mg/kg.

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended methods of

disposal: Incinerate following EPA and local regulations.

EPA Hazardous Waste

D002/D005 - Hazardous waste per 40CFR 261.22 and Number

may be a TCLP waste per 40CFR 261.24/Barium

14. TRANSPORTATION INFORMATION

DOT (49 CFR 172)

Domestic Ground Transport

Proper Shipping Name: Unrestricted

Hazard Class or

Division: Unrestricted

Identification Number: None Marine Pollutant: None

IATA

Proper Shipping Name: Unrestricted Class or Division: Unrestricted

UN or ID Number: None HENKEL CONSUMER ADHESIVES 05/04/04

AVON, OH 44011

TELEPHONE: (440) 937-7000

MATERIAL SAFETY DATA SHEET Page 05 of 05

Product Name: LOCTITE EXTEND NAVAL JELLY RUST NEUTRALIZER 160Z BOTTLE

Item No.: 01-81139

15. REGULATORY INFORMATION

CA Proposition 65: No Prop65 chemicals are known to be present.

16. OTHER INFORMATION

Estimated NFPA(R) Code:

Health Hazard: 1
Fire Hazard: 1
Reactivity Hazard: 0

Specific Hazard: Does not apply

Estimated HMIS(R) Code:

Health Hazard: 1\*
Flammability Hazard: 1
Reactivity Hazards: 0

Personal Protection: See Section 8.

NFPA is a registered trademark of the National Fire Protection Assn.
HMIS is a registered trademark of the National Paint and Coatings Assn.

Prepared by:

Company: Regulatory Affairs

Henkel Consumer Adhesives Inc. 32150 Just Imagine Dr, Avon,

OH 44011

(24hr.) Phone: (440) 937-7000